

WESTERN EUROPE

Belgium & Luxembourg

Armstrong Building Products B.V.
Verkoopkantoor Benelux
Postbus 3803
4800 DV Breda - Netherlands
Tel.: (+32) 02 223 00 72
Fax: (+31) 076 521 04 07
e-mail: benelux-info@armstrong.com
www.armstrongplafonds.be

Germany & Switzerland

Armstrong Building Products
Kundenservice
Office Building Quadrum
Claudius Prinsenlaan 126
4818 CP Breda - Netherlands
Tel.: +49 (0) 251 7603 210
Fax: +49 (0) 251 7603 593
e-mail: deutsche-info@armstrong.com
www.armstrongdecken.de
www.armstrongceilings.ch

Firmensitz
Armstrong Building Products GmbH
Robert-Bosch-Str. 10
48153 Munster - Germany

Armstrong Metaldecken AG
Breitfeldstrasse 8
9015 St. Gallen - Switzerland
Tel.: +41 (0) 71 313 63 63
Fax: +41 (0) 71 313 64 00
e-mail: gema@armstrong.com
www.armstrongceilings.ch

Zentralschweiz
Armstrong Metaldecken AG
Buro / Lager Zentralschweiz
Grossweid 9
6026 Rain - Switzerland
Tel.: +41 (0) 41 921 63 63
Fax: +41 (0) 41 921 63 80
e-mail: gema@armstrong.com
www.armstrongceilings.ch

Armstrong Plafonds Métalliques SA
Bureau et Depot Suisse Romande
Avenue de Chatelaine 87
1219 Chatelaine - Suisse
Tel.: +41 (0) 22 731 60 70
Fax: +41 (0) 22 731 60 74
e-mail: gema@armstrong.com
www.armstrongceilings.ch

Austria

Armstrong Metaldecken GmbH
Bundesstrasse 70
6830 Rankweil - Austria
Tel.: +43 (0) 55 22 34 44-0
Fax: +43 (0) 55 22 34 44-8
e-mail: gema@armstrong-decken.at
www.armstrongdecken.at

Armstrong Metaldecken GmbH
Messendorferstrasse 6
8041 Graz - Austria
Tel.: +43 (0) 316 471 584
Fax: +43 (0) 316 471 584-10

Spain & Portugal

Armstrong Building Products SAS
Immeuble Paryseine
3 Allee de la Seine
94854 Ivry-sur-Seine Cedex - France
Phone: +34 91 642 04 99
info-espana@armstrong.com
www.armstrongtechos.es

France & French Speaking Africa

Armstrong Building Products SAS
Bureaux Commerciaux France
Immeuble Paryseine
3 Allee de la Seine
94854 Ivry-sur-Seine - France
Tel.: 0800 41 36 43
Fax: +33 1 45 21 04 11
e-mail: info-France@armstrong.com
www.armstrongplafonds.fr

Siege social
Armstrong Building Products SAS
67 rue de Salins - CS 20089
25302 Pontarlier Cedex - France

Italy & Greece

Armstrong Building Products
Ufficio Commerciale Italia
Immeuble Paryseine
3 Allee de la Seine
94854 Ivry-sur-Seine - France
Tel.: 800 118 085
Fax: +39 02 66 20 14 27
e-mail: info-italia@armstrong.com
www.armstrongsoffitti.it

Netherlands

Armstrong Building Products BV
Bijster 53 4817 HZ Breda
Netherlands
Tel.: (+31) 076 523 02 00
Fax: (+31) 076 521 04 07
e-mail: benelux-info@armstrong.com
www.armstrong-plafonds.nl

United Kingdom

Armstrong World Industries Ltd
Building Products Division
Harman House
1 George Street
Uxbridge UB8 1QQ - United Kingdom
Tel.: 0800 371849
Fax: +44 1895 274287
e-mail: sales-support@armstrong.com
www.armstrongceilings.co.uk

Republic of Ireland

Armstrong World Industries Ltd.
108 Greenlea Road
Terenure
Co Dublin 6W - Ireland
Tel.: 1800 409002
Tel.: (+353) 1 499 1701
Fax: (+353) 1 490 7061
e-mail: sales-support@armstrong.com
www.armstrongceilings.ie

MIDDLE EAST / AFRICA / TURKEY

Armstrong World Industries Ltd Africa Middle East Turkey Division

Harman House
1 George Street
Uxbridge UB8 1QQ - United Kingdom
Tel.: +44 01895 202097
Fax: +44 01895 272928
e-mail: sales-support@armstrong.com
www.armstrongceilings.eu
Israel: www.armstrong.co.il
South Africa: www.armstrongceilings.co.za

Middle East Regional Office, Dubai, UAE

Office No. 2003, 20th Floor
Gold Crest Executive Tower
Jumeirah Lakes Towers
P.O. Box 73831
Dubai, United Arab Emirates
Tel.: +971 4 453 4545
Fax: +971 4 453 4546
info-me@armstrong.com
www.armstrong.ae

Turkey

FSM Mah, Poligon Cad No:8
Buyaka 3 kulesi D:1 - Workinton Office
34771 Umraniye/Istanbul - Turkey
Tel.: +90 542 772 49 22
Tel.: +90 544 293 5931
e-mail: sgonc@armstrongceilings.com
etulpar@armstrongceilings.com
www.armstrong.com.tr

CENTRAL EUROPE NORTH & SCANDINAVIA

(DK/EE/FIN/IS/LT/LV/N/PL/S)

Armstrong Building Products BV
Sp. z o.o. Oddział w Polsce
ul. Domaniewska 37
02-672 Warszawa - Poland
Tel.: (+48) 22 337 86 10/ 86 11
Fax: (+48) 22 337 86 12
e-mail: service-ce@armstrong.com
Latvia: www.armstrongceilings.com/latvia
Lithuania: www.armstronglubos.lt
Norway: www.armstrongceilings.com/norway
Poland: www.armstrongsufity.pl
Sweden: www.armstrongceilings.com/sweden

CENTRAL EUROPE SOUTH

(AL/BA/BG/CZ/HR/HU/KO/ MD/ME/MK/RO/RS/SK/SI)

Armstrong Building Products
Florentinum,
Na Florenci 2116/15,
110 00 Praha 1 - Czech Republic
Tel.: +420 725 477 588
e-mail: service-ce@armstrong.com
Czech Republic: www.armstrongtropnipodhledy.cz
Hungary: www.armstrongmennyezet.hu
Romania: www.armstrongtavane.ro
Serbia: www.armstrongplafoni.rs
Slovakia: www.armstrongceilings.com/slovakia
Slovenia: www.armstrongtropnisistemi.si
www.armstrongceilings.eu

EASTERN EUROPE

CIS

Armstrong Moscow GmbH
Mosfilmovskaya Street 38A,
Moscow 119285, Russian Federation
Tel.: +7 (495) 258 5100
Fax: +7 (495) 258 5103
e-mail: info-cis@armstrong.com
Russian Federation: www.armstrongceilings.ru



MESH METAL CEILING

Inspiring Great Spaces®

Armstrong®
CEILING SOLUTIONS

Inspiring Great Spaces®

Armstrong®
CEILING SOLUTIONS



MESH SOLUTIONS

STANDARD

- MESH LAY-IN


CONFIGURABLE

- MESH RECTANGULAR
- MESH LINEAR AND TARTAN
- MESH CORRIDOR



PATTERNS AND COLOURS


Mesh Lay-In Solutions are available in 4 different patterns and 4 different colours, whilst configurable solutions allows any custom size and alternative edge details.




KD100 not available for MT option.
Further RAL colours available on request.

SHAPES & SYSTEMS


SQUARE & RECTANGULAR TILES




RECTANGULAR PANELS




TARTAN GRID



LINEAR GRID



CORRIDOR CEILINGS



For Mesh Canopies, please see the Mesh Canopy Solutions section.



MESH LAY-IN


MESH BOARD, MESH TEGULAR, MESH MICROLOOK

Use Armstrong Mesh Lay-In to achieve an industrial and contemporary look. Installed on Armstrong Prelude 15 and Prelude 24 suspension systems, Mesh Lay-In is an ideal choice for transport hubs, renovation projects wanting a modern touch and in general spaces with large ceiling areas.

- Key features**

















 - Mesh Metal provides a contemporary design aesthetic
 - Compatible with standard Prelude 15 and Prelude 24 grid systems
- Available in 4 standard colours
 - Configurable solutions available on request (custom sizes, edge details, patterns, colours)

OFFICE - Office London (UK)
Mesh MicroLook 8 - RB25, RAL 9010



MESH LAY-IN

MESH LAY-IN

EDGE DETAIL	MESH BOARD		MESH TEGULAR 8	MESH TEGULAR 14	MESH MICROLOOK 8
MODULES (mm) & PATTERNS	KD100 	600 x 600 3975M 625 x 625 3975D 600 x 1200 3976M 625 x 1250 3976D	600 x 600 3985M	625 x 625 3985D	600 x 600 3983M
	Q6x4.5-1.2x1 35% open area RB25 	600 x 600 3977M 625 x 625 3977D 600 x 1200 3978M 625 x 1250 3978D	600 x 600 3986M	625 x 625 3986D	600 x 600 3984M
	R16x8-2x1 50% open area RB35 	600 x 600 3979M 625 x 625 3979D 600 x 1200 3980M 625 x 1250 3980D			
	R28x10-2x1.5 58% open area RB55 	600 x 600 3981M 625 x 625 3981D 600 x 1200 3982M 625 x 1250 3982D			
	R43x13-2.5x1.5 62% open area				
SUSPENSION SYSTEMS	Prelude 24 TL ² Prelude 24 Sixty ² TL ²		Prelude 24 XL ² /TL ² Prelude 24 Sixty ² XL ² / TL ²		Prelude 15 TL / XL ²
COLOURS	 RAL 9010		 RAL 9006	 RAL 9007	 RAL 9005
SUSTAINABILITY	 30		 A+	 E1	
FIRE REACTION	 EEA Euroclass A2-s1, d0 EN 13501-1		RUS KM1 (G1, V1, D1, T1) FZ 123		
OTHER PERFORMANCES & FEATURES	 95% RH  KD100: 4.15 kg/m ² RB25: 4.00 kg/m ² RB35: 4.80 kg/m ² RB55: 4.35 kg/m ²			 30YEAR system guarantee	
CUSTOM OPTIONS	 Colours	 Dimensions	 Patterns	 Service Integration	

Not all custom options may be available on all products / systems / dimensions.
For further information about custom mesh, please contact us.



MESH CONFIGURABLE

MESH RECTANGULAR: MESH R-CLIP, MESH R-L 201, MESH R-H 200, MESH R-H 215
MESH LINEAR & TARTAN: MESH B-L 302, MESH B-H 300, MESH K-H 400
MESH CORRIDOR: MESH F-CLIP, MESH F-L 601, MESH F-H 600

Mesh configurable brings a versatile and simple design solution, ideal for breaking up larger ceiling spaces.

- Key features**
- MT version with solid edge framing
 - Custom patterns and colours available
 - Enables integration of services








Application areas
Ideal for open spaces and large rooms with flexible partitioning.

RETAIL - Automobilklub Polski (PL)
MESH R-H 215 RB35, RAL 9006



MESH RECTANGULAR

MESH SOLUTIONS - CONFIGURABLE






MESH R-CLIP		CLIP-IN
EDGE DETAIL	<div>MESH R-CLIP</div> 	
DIMENSIONS	Panel length (mm): 597 - 2500 • Panel width (mm): 247 - 600 • Max size (m²): 1.5	
SUSPENSION SYSTEMS	U-Profile + DP12 A-Bar	
CUSTOM OPTIONS	<div><div>Colours</div><div>Dimensions</div><div>Patterns</div><div>Security</div><div>Service Integration</div></div>	
MESH R-L 201 / MESH R-L 201 MT		LAY-IN
EDGE DETAIL	<div>MESH R-L 201</div> 	<div>MESH R-L 201 MT</div> 
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 298 - 602 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	U-Profile + L-Profile Primary Angle + L-Profile (for special solutions)	
CUSTOM OPTIONS	<div><div>Colours</div><div>Dimensions</div><div>Shapes</div><div>Patterns</div><div>Service Integration</div></div>	
MESH R-H 200 / MESH R-H 200 MT		HOOK-ON
EDGE DETAIL	<div>MESH R-H 200</div> 	<div>MESH R-H 200 MT</div> 
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 298 - 602 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	U-Profile + J-Bar Primary Angle + J-Bar (for special solutions)	
CUSTOM OPTIONS	<div><div>Colours</div><div>Dimensions</div><div>Shapes</div><div>Patterns</div><div>Service Integration</div><div>Security</div></div>	
MESH R-H 215 / MESH R-H 215 MT		HOOK-ON
EDGE DETAIL	<div>MESH R-H 215</div> 	<div>MESH R-H 215 MT</div> 
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 298 - 602 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	U-Profile + H-Profile 35	
CUSTOM OPTIONS	<div><div>Colours</div><div>Dimensions</div><div>Patterns</div><div>Service Integration</div></div>	

Product availability may vary. Please contact us or visit www.armstrongceilings.eu for more information.

MESH LINEAR AND TARTAN

▲ MESH B-L 302 / MESH B-L 302 MT







LAY-IN [Linear]

EDGE DETAIL	MESH B-L 302	MESH B-L 302 MT
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 300 - 604 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	U-Profile + Bandraster	
CUSTOM OPTIONS	 Colours  Dimensions  Shapes  Patterns  Megapanel ¹	

¹ For MESH B-L 302 MT only

▲ MESH B-H 300 / MESH B-H 300 MT







HOOK-ON [Linear]

EDGE DETAIL	MESH B-H 300	MESH B-H 300 MT
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 300 - 604 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	U-Profile + C-Profile Primary Angle + C-Profile (for special solutions)	
CUSTOM OPTIONS	 Colours  Dimensions  Shapes  Patterns  Service Integration  Megapanel ²	

² For MESH B-H 300 MT only.

▲ MESH K-H 400 / MESH K-H 400 MT

HOOK-ON [Tartan]






EDGE DETAIL	MESH K-H 400	MESH K-H 400 MT
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 300 - 604 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	Crossing Box + C-Profile	
CUSTOM OPTIONS	 Colours  Dimensions  Shapes  Patterns  Service Integration  Megapanel ³	

³ For MESH K-H 400 MT only.

MESH CORRIDOR






▲ MESH F-CLIP

CLIP-IN

EDGE DETAIL	MESH F-CLIP
DIMENSIONS	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 • Panel width (mm), RB25 / RB35 / RB55: 247 - 600 • Max size (m²): 1.5
SUSPENSION SYSTEMS	Wall Bracket + Half DP12 A-Bar
CUSTOM OPTIONS	 Colours  Dimensions  Patterns  Security  Service Integration






▲ MESH F-L 601 / MESH F-L 601 MT

LAY-IN

EDGE DETAIL	MESH F-L 601	MESH F-L 601 MT
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 300 - 604 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	Range of various perimeter trims	
CUSTOM OPTIONS	 Colours  Dimensions  Shapes  Patterns  Service Integration	

▲ MESH F-H 600 / MESH F-H 600 MT

HOOK-ON

EDGE DETAIL	MESH F-H 600	MESH F-H 600 MT
DIMENSIONS	Panel length (mm), KD100: 597 - 1500 • RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), KD100: 247 - 500 • RB25 / RB35 / RB55: 247 - 700 Max size (m²): 1.75	Panel length (mm), RB25 / RB35 / RB55: 597 - 2500 Panel width (mm), RB25: 300 - 604 (in steps of 8 mm) • RB35 / RB55: 247 - 700 Max size (m²): 1.75
SUSPENSION SYSTEMS	Wall Bracket + J-Bar	
CUSTOM OPTIONS	 Colours  Dimensions  Shapes  Patterns  Service Integration	

Not all custom options may be available on all products / systems / dimensions.
For further information about custom mesh, please contact us.



MESH CANOPY SOLUTIONS

■ MESH D-H 700 MT

■ MESH CANOPY MT

Armstrong offers custom Mesh metal options with Floating Ceilings. Breathe new life into your ceiling architecture - with a creative design, impressive simplicity and high performance.

- Key features**
- MT version with solid edge framing
 - Custom patterns and colours available

Application areas
Large rooms and flexible partitioning.

RETAIL - MESH CANOPY MT, RB25, RAL 9010



MESH D-H 700 MT / MESH CANOPY MT

EDGE DETAIL	MESH D-H 700 MT			MESH CANOPY MT	
DIMENSIONS (mm) & PATTERNS	Panel length: 585 - 2485 (in steps of 25 mm) Panel width: RB25 298 - 602 (in steps of 8 mm) RB35 / RB55 247 - 700			Panel length: 800 - 1200 Panel width: RB25 800 - 1202 (in steps of 8 mm) RB35 / RB55: 800-1200	
SUSPENSION SYSTEMS	U-Profile (cross-connected)			Direct suspended (by threaded rod or wires)	
PATTERNS	 RB25			 RB35	 RB55
COLOURS	 RAL 9010			 RAL 9006	 RAL 9007
				 RAL 9005	
SUSTAINABILITY	 30			 A+	 E1
FIRE REACTION	 EEA A2-s1,d0				
OTHER PERFORMANCES & FEATURES	 95% RH			 30 YEAR system guarantee	
CUSTOM OPTIONS	 Colours			 Dimensions	 Patterns
				 Service Integration	 Megapanel

INSTALLATION OPTIONS	MESH D-H 700 MT			MESH D-H 700 MT Single panel	
					Single panel island solution
					Multiple panel island solution
	MESH CANOPY MT				Single panel island solution